

KRISBOW®

PNEUMATIC TOOL



SCAN
FOR OUR LATEST VIDEO



SCAN
FOR BROCHURE & CATALOG



SCAN
FOR OUR STORE LOCATION

PNEUMATIC TOOL



AIR DRILL



Features :

- Equipped with precision chucks for excellent accuracy
- Precision bearing provides longer tool durability

Article No	KW0800256	KW0800258
Model No.	DPAD38	DPAD12
Description	Air Drill Reverse 3/8"	Air Drill 1/2"
Specification		
Drilling Capacity (mm)	10	13
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	170	
Free Speed (rpm)	2300	500
Hose Size & Air Inlet (inch)	3/8 & 1/4	
Packing Dimension L x W x H (mm)	220 x 80 x 180	240 x 80 x 190
Weight (g)	1000	1600

AIR ANGLE GRINDER



Features :

- Advanced stall torque resistance
- Powerful twin chamber motor to produce faster and powerful torque
- Ergonomic grip handle to reduce vibration

Article No	KW0800144	KW0800461
Model No.	DPAG4	DPAG7
Description	Air Angle Grinder 4"	Air Angle Grinder 7"
Specification		
Grinding Wheel (inch)	4	7
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	142	153
Free Speed (rpm)	10000	7500
Hose Size & Air Inlet (inch)	3/8 & 1/4	
Packing Dimension L x W x H (mm)	233 x 160 x 115	385 x 245 x 145
Weight (g)	1400	3300

AIR DIE GRINDER



Features :

- Equipped with safety lever activator
- Able to scrape 90° horizontal surface easily
- Adjustable speed

Article No	KW0800236
Model No.	DPDG6
Description	Air Die Grinder 6mm
Specification	
Collet Size (mm)	6
Air Pressure (bar)	6
Air Consumption (ℓ/min)	105
Free Speed (rpm)	25000
Overall Length (mm)	170
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	230 x 48 x 135
Weight (g)	450

AIR DIE GRINDER SET



Features :

- 60000 rpm high rotation for faster and neat removal
- Suitable for high precision job
- For industrial application

Article No	KW0800273
Model No.	DPDG3
Description	Air Die Grinder Set 3mm
Specification	
Collet Size (mm)	3
Air Pressure (bar)	6
Air Consumption (ℓ/min)	130
Free Speed (rpm)	60000
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	220 x 110 x 53
Weight (g)	300

AIR IMPACT WRENCH



Twin Hammer

Features :

- Composite motor housing
- Twin hammer
- Variable speed
- Thumb operated forward & reverse switches provide one hand operation

Article No	10092020	10091980
Model No.	DPIW12	DPIW34
Description	Air Impact Wrench SQ 1/2"	Air Impact Wrench SQ 3/4"
Specification		
Square Drive (inch)	1/2	3/4
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	187	198
No-load Speed (rpm)	8000	5500
Bolt Capacity Dia (mm)	M16	M25
Max.Torque (Nm)	1112	2034
Hose Size & Air Inlet (inch)	1/2 & 1/4	1/2 & 3/8
Packing Dimension L x W x H (mm)	225 x 80 x 225	270 x 120 x 270
Weight (g)	2000	4000

AIR IMPACT WRENCH




Twin Hammer

Features :

- Handle with inside trigger
- Twin hammer
- Suitable for truck workshop and construction

Article No	10091981
Model No.	DPIW16
Description	Air Impact Wrench SQ 1" X 6" (Length)
Specification	
Square Drive (inch)	1
Air Pressure (bar)	6
Air Consumption (ℓ/min)	282
No-load Speed (rpm)	5000
Bolt Capacity Dia (mm)	M42
Max.Torque (Nm)	3390
Vibration of Square Head (mm)	<0.4
Hose Size & Air Inlet (inch)	1/2 & 1/2
Packing Dimension L x W x H (mm)	650 x 400 x 310
Weight (g)	12000

AIR SCREWDRIVER



Features (KW0800259, KW0800260) :

- Twin hammer and double hammer with adjustable clutch suitable for all kinds of industry

Article No	KW0800259	KW0800260
Model No.	DPSS143	DPSS141
Description	Air Screwdriver 237Nm	Air Screwdriver 75Nm
Specification		
Head Off Screwdriver (inch)	1/4	
Maximal Torque (Nm)	237	75
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	170	198
Free Speed (rpm)	7500	9000
Overall Length (mm)	201	182
Hose Size & Air Inlet (inch)	3/8 & 1/4	
Packing Dimension L x W x H (mm)	225 x 62 x 80	225 x 62 x 80
Weight (g)	1000	750



10134724

Article No	10134724
Model No.	DPSS35
Description	Air Screwdriver 5-35 kgf.cm
Specification	
Head Off Screwdriver (inch)	1/4
Torque Range (kgf.cm)	5 - 35
Air Pressure (bar)	6
Air Consumption (ℓ/min)	280
Free Speed (rpm)	1000
Overall Length (mm) / Diameter (mm)	250 / 35
Noise Level (±3dB)	72
Machine (T) / Tapping (Z) Screw Dia.	M2.8 - M5.0 / M2.2 - M4.0
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	245 x 88 x 50
Weight (g)	480



10134725

Features (10134724, 10134725) :

- Composite motor housing
- Auto shut off
- Equipped with torque adjustable

Article No	10134725
Model No.	DPSP60
Description	Air Screwdriver 10-60kgf.cm
Specification	
Head Off Screwdriver (inch)	1/4
Torque Range (kgf.cm)	10-60
Air Pressure (bar)	6
Air Consumption (ℓ/min)	550
Free Speed (rpm)	2200
Overall Length (mm) / Diameter (mm)	230 / 39
Noise Level (±3dB)	76
Machine (T) / Tapping (Z) Screw Dia.	M2.9-M6.0 / M2.6-M4.9
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	328 x 78 x 216
Weight (g)	1000

AIR ORBITAL SANDER



10091982

10091983

Features :


- Composite motor housing, well balanced, low vibration, lightweight
- Self vacuum (10091983)

Article No.	10091982	10091983
Model No.	DPOS5	DPOSV5
Description	Air Orbital Palm Sander 5" Non Vacuum	Air Orbital Palm Sander 5" Self Vacuum
Specification		
Pad Size (inch)	5	
Air Pressure (bar)	6	
Air Consumption (L/min)	57	
Free Speed (rpm)	12000	
Orbit Diameter (mm)	5	
Hose Size & Air Inlet (inch)	3 / 8 & 1 / 4	
Packing Dimension L x W x H (mm)	170 x 120 x 100	200 x 120 x 100
Weight (g)	1000	

AIR NEEDLE SCALER



Optional Accessories :
Needle Set 3mm



KW0800507

Features :

- Peeling rust on flat and storey metal surface easily
- Using air cylinder component to make movements more stable

Article No.	KW0800155
Model No.	DPNSP1
Description	Needle Scaler Pistol Type 3000 BPM
Specification	
Blow Per Minute (bpm)	3000
Air Pressure (bar)	6
Air Consumption (ℓ/min)	160
Needles Size (mm)	Ø3 x 19pcs
Piston (Ø x Stroke) (mm)	23.5 x 20 x 73
Overall Length (mm)	254
Vibration Level (m/sec²)	18.6
Noise Level (dbA)	95.7
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	385 x 70 x 195
Weight (g)	2600

AIR HAMMER



Features :

- Using air cylinder component to make movements more stable
- Equipped with various size of chisel bits

Article No	KW0800266
Model No.	DPCHP01
Description	Air Hammer 3000 bpm
Specification	
Blow Per Minute (bpm)	3000
Air Pressure (bar)	6
Average Air Consumption (ℓ/min)	283
Stroke (inch)	2 5/8
Overall Length (inch)	6 3/4
Hose Size & Air Inlet (inch)	3/8 & 1/4
Packing Dimension L x W x H (mm)	330 x 95 x 245
Weight (g)	7700

AIR NAILER



Features :

- Soft rubber grip
- Lightweight & ergonomic design
- Fast & easy magazine loading

Article No	10222411
Model No.	C33/90A3
Description	Air Coil Nailer 45-90mm
Specification	
Air Pressure (bar)	6
Air Inlet (inch)	1/4
Load Capacity (pcs)	100
Packing Dimension L x W x H (mm)	440 x 410 x 160
Weight (g)	1250

SPRING BALANCER



KW0800225



KW0800227

Features :

- Equipped with weight capacity adjustable and suitable for industry or vehicle workshops

Article No	Model No.	Description	Packing dimension (mm)			
			L	W	H	Weight (g)
KW0800225	DPASB42	Spring Balancer 1.5-3.0 KGS 1.6m	100	45	185	500
KW0800227	DPASB21	Spring Balancer 1.5-3.0 KGS 1.3m	150	75	300	700

KRISBOW®

Distributed by: