

04

AIR TOOL



www.krisbow.com

AIR DRILL



KW0800256
3/8" Chuck, Reverse



KW0800258
1/2" Chuck

Features :

- Equipped with precision chucks for excellent accuracy
- Precision bearing provides longer tool durability

Article No.	KW0800256	KW0800258
Description	Air Drill Reverse 3/8" Chuck 2300 rpm	Air Drill 1/2" Chuck 500 rpm
Specification		
Drilling Capacity (mm)	10	13
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	170	
Free Speed (rpm)	2300	500
Hose Size (inch)	3/8	
Air Inlet (inch)	1/4	
Packing Dimension L x W x H (cm)	22 x 8 x 18	24 x 8 x 19
Weight (kg)	1	1.6

AIR ANGLE GRINDER



KW0800144

Optional Accessories:

Depressed Centre Wheel
for KW0800144



10157554

Depressed Centre Wheel
for KW0800461



KW0300306

KW0300312



KW0800461

*Depressed Center Wheel Not Include

Features :

- Advanced stall torque resistance
- Powerful twin chamber motor to produce faster and powerful torque
- Ergonomic grip handle to reduce vibration



Article No.	KW0800144	KW0800461
Description	Air Angle Grinder 4"	Air Angle Grinder 7"
Specification		
Grinding Wheel (mm)	4	7
Air Pressure (bar)	6	
Air Consumption (ℓ/min)	142	153
Free Speed (rpm)	10000	7500
Hose Size (inch)	3/8	
Air Inlet (inch)	1/4	
Packing Dimension L x W x H (cm)	23.3 x 16 x 11.5	38.5 x 24.5 x 14.5
Weight (kg)	1.4	3.3

AIR DIE GRINDER



KW0800236



Features :

- Equipped with safety lever activator
- Able to scrape 90° horizontal surface easily
- Adjustable speed

Article No.	KW0800236
Description	Air Die Grinder 6mm/25000 rpm
Specification	
Capacity (mm)	6
Air Pressure (bar)	6
Air Consumption (ℓ/min)	105
Free Speed (rpm)	25000
Overall Length (mm)	170
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (mm)	230 x 48 x 135
Weight (g)	450

AIR DIE GRINDER SET



KW0800273



Features :

- 60000 rpm high rotation for faster and neat removal
- Suitable for high precision job
- For industrial application

Article No.	KW0800273
Description	Air Die Grinder Set 3mm, 60000 rpm
Specification	
Capacity (mm)	3
Air Pressure (bar)	6
Air Consumption (ℓ/min)	130
Free Speed (rpm)	60000
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (mm)	220 x 110 x 53
Weight (g)	300

AIR IMPACT WRENCH



Twin Hammer

10092020/ 10091980

Features 10092020/10091980:

- Composite motor housing
- Twin hammer
- Variable speed
- Thumb operated forward & reverse switches provide one hand operation



Twin Hammer



Features :

- Handle with inside trigger
- Twin hammer
- Suitable for truck workshop and construction

10091981

Article No.	10092020	10091980
Description	Air Impact Wrench Composite SQ 1/2"	Air Impact Wrench Composite SQ 3/4"
Specification		
Square Drive (inch)	1/2	3/4
Air Pressure (bar)	6	6
Air Consumption (ℓ/min)	187	198
No-load Speed (rpm)	8000	5500
Bolt Capacity Dia (mm)	M16	M25
Max.Torque (Nm)	1112	2034
Hose Size (inch)	1/2	1/2
Air Inlet (inch)	1/4	3/8
Packing Dimension L x W x H (cm)	22.5 x 8 x 22.5	27 x 12 x 27
Weight (kg)	2	4

Article No.	10091981
Description	Air Impact Wrench SQ 1" X 6" (Length)
Specification	
Square Drive (inch)	1
Air Pressure (bar)	6
Air Consumption (L/min)	282
Free Speed (rpm)	5000
Capacity Bolt Dia. (mm)	M42
Max. Torque (Nm)	3390
Vibration of Square Head (mm)	<0.4
Hose Size (inch)	1/2
Air Inlet (inch)	1/2
Packing Dimension L x W x H (cm)	65 x 40 x 31
Weight (kg)	12

AIR SCREWDRIVER



KW0800259



Twin Hammer

Features:

- Twin hammer and double hammer with adjustable clutch suitable for all kinds of industry



KW0800260



Double Hammer

Article No.	KW0800259	KW0800260
Description	Air Screwdriver 237Nm, Twin Hammer	Air Screwdriver 75Nm, Double Hammer
Specification		
Maximal Torque (Nm)	237	75
Air Pressure (bar)		6
Air Consumption (ℓ/min)		170
Free Speed (rpm)	7500	9000
Overall Length (mm)	201	182
Hose Size (inch)		3/8
Air Inlet (inch)		1/4
Packing Dimension L x W x H (cm)	22.5 x 6.2 x 8	22.5 x 6.2 x 8
Weight (kg)	1	0.75

AIR SCREWDRIVER



10134724



Features:

- Composite Motor Housing
- Full-auto shut off air composite screwdriver

Article No.	10134724
Description	Air Screwdriver 5-35 kgf.cm
Specification	
Torque Range (kgf.cm)	5-35
Air Pressure (bar)	6
Air Consumption (ℓ/min)	280
Free Speed (rpm)	1000
Overall Length (mm)	250
Diameter (mm)	35
Noise Level (±2dBA)	72
• Machine Screw Dia. (T)	M2.8-M5.0
• Tapping Screw Dia. (2T)	M2.2-M4.0
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (cm)	26.5 x 7.5 x 5.2
Weight (kg)	0.6

AIR SCREWDRIVER



10134725

Features:

- Composite Motor Housing
- Trigger start-shut off air screwdriver
- Equipped with torque adjustable

Article No.	10134725
Description	Air Screwdriver 10-60 kgf.cm
Specification	
Torque Range (kgf.cm)	10-60
Air Pressure (bar)	6
Air Consumption (ℓ/min)	550
Free Speed (rpm)	2200
Overall Length (mm)	230
Diameter (mm)	39
Noise Level (±3dB)	76
• Machine Screw Dia. (T)	M2.9-M6.0
• Machine Screw Dia. (2T)	M2.6-M4.9
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (cm)	32.8 x 7.8 x 21.6
Weight (kg)	1

AIR ORBITAL SANDER



10091982



10091983



Features :

- Composite motor housing, well balanced, low vibration, lightweight
- Self vacuum (10091983)

Article No.	10091982	10091983
Description	Air Orbital Palm Sander 5" Non Vacuum	Air Orbital Palm Sander 5" Self Vacuum
Specification		
Pad Size (inch)		5
Air Pressure (bar)		6
Air Consumption (L/min)		57
Free Speed (rpm)		12000
Orbit Diameter (mm)		5
Hose Size (inch)		3/8
Air Inlet (inch)		1/4
Packing Dimension L x W x H (cm)	17 x 12 x 10	20 x 12 x 10
Weight (kg)		1

AIR NEEDLE SCALER



KW0800155

Features :

- Peeling rust on flat and storey metal surface easily
- Using air cylinder component to make movements more stable



Article No.	KW0800155
Description	Air Needle Scaler Pistol Type 3000bpm
Specification	
Blow Per Minute (bpm)	3000
Air Pressure (bar)	6
Air Consumption (ℓ/min)	160
Needles Size (mm)	Ø2 x 29pcs, Ø3 x 19pcs
Piston (Ø x Stroke) (mm)	23.5 x 20 x 73
Overall Length (mm)	254
Vibration Level (m/sec ²)	18.6
Noise Level (dbA)	95.7
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (cm)	38.5 x 7 x 19.5
Weight (kg)	2.6

AIR HAMMER



Features :

- Using air cylinder component to make movements more stable
- Equipped with various size of chisel bits





Article No.	KW0800266
Description	Air Hammer 3000 bpm
Specification	
Blow Per Minute (bpm)	3000
Air Pressure (bar)	6
Average Air Consumption (ℓ/min)	283
Stroke (inch)	2 ⁵ / ₈
Overall Length (inch)	6 ³ / ₄
Vibration Level (m/sec ²)	10.24
Noise Level (dbA)	101.4
Hose Size (inch)	3/8
Air Inlet (inch)	1/4
Packing Dimension L x W x H (cm)	33 x 9.5 x 24.5
Weight (kg)	7.7

AIR NAILER



Feature :

- Soft rubber grip
- Lightweight & ergonomic design
- Fast & easy magazine loading
- Equipped blow mold case & safety glass



Article No.	10116288	10116291	10116292
Description	Air Finish Nailer 10-30mm	Medium Air Stapler Width 4mm L 10-25mm 425J	Medium Air Stapler Width 10mm L 6-22mm 1022J
Specification			
Fastener	Width (mm)	1.9	4
	Length (mm)	10 - 30	10 - 25
	Thickness (mm)	1	0.6
	Foot Width (mm)	1.25	1.2
	Gauge	18	20
Tool Specification	Pressure (bar)	6	6
	Dimension H x W x L (cm)	5.5 x 18 x 25	5.5 x 17 x 24
	Air Inlet (inch)	1/4	1/4
	Load Capacity (Pcs)	100	100
	Weight (kg)	1.25	1.3

SPRING BALANCER



Feature :

- Equipped with weight capacity adjustable and suitable for industry or vehicle workshops



Article No.	Descriptions	Packing Dimension (CM)			Weight (Kg)
		L	W	H	
KW0800222	Spring Balancer 0.3-0.8KGS 1.6M	10	4.5	18.5	0.5
KW0800223	Spring Balancer 0.6-1.5KGS 1.6M	10	4.5	18.5	0.5
KW0800224	Spring Balancer 1.0-2.0KGS 1.6M	10	4.5	18.5	0.5
KW0800225	Spring Balancer 1.5-3.0KGS 1.6M	10	4.5	18.5	0.5
KW0800226	Spring Balancer 0.5-1.5KGS 1.3M	15	5.5	19	0.6
KW0800227	Spring Balancer 1.5-3.0KGS 1.3M	15	7.5	30	1.7